VihtaVuori

VihtaVuori N100 & N300 Series

MATERIAL SAFETY DATA SHEET

April 2009

The following **N100, N300, 2N and 3N** series powders are manufactured by VihtaVuori [®] and distributed by Hodgdon Powder Company.

20N29

3N37 3N38 N105 N110 N133 N135 N140 N150 N160 N165 N310 N320 N340

N350

X SAFI	ETY DATA SH	HEET	X INF	ORMATION FORM FOR CHEMICALS TA	
Date	: 17.11.2008		Foi	mer date: 26.4.2007	
1.	IDENTIFICA UNDERTAK		D OF THE MANU	JFACTURER, IMPORTER OR OTHER	
1.1	Identification	on of the substance or prepar	ation		
	Trade name				
	Code of the	preparation		r 300-,2N-, 3N-series, N32C, 20N29 and 7T- and B19T-propellants	
1.2	Use of the o	chemical			
1.2.1	The intended uses of the chemical				
			Propellan	t for ammunition.	
1.2.2	Standard industrial classification (SIC) 24610		610		
1.2.3	Use categories (UC62) TOL1: 296 KT1: 36				
1.2.4					
	The dictinion can be used by the general public				
1.2.5	The chemical is used by the general public only				
1.3	THE RESIDENCE OF THE PERSON NAMED IN COLUMN 2 IN COLUM	on of the manufacturer, impor		ertaking	
1.3.1	Manutactur	er, importer, other undertakir		O Vihtavuori Oy	
1.3.2	Contact info	ormation:		o viinavaan oy	
1.5.2	Contact information: Street address			Ruutitehtaantie 80	
				41330 Vihtavuori	
	Postcode a	nd post office	FI-	41330 VIIItavuoli	
		nd post office	. 25	0.44.2770.044	
	Telephone	number		68-14-3779 211	
	Telefax			8-14-3771 460	
	Y code		FI14922233		
1.3.3	Information on foreign manufacturer				
1.4	Emergency	number, name and address			
1.4.1	relephone	number, name and address	Telefax +	e number +358-14-3779211 358-14-3771643 O Vihtavuori Oy, FI-41330 VIHTAVUOF	
2.	COMPOSIT	ION AND INFORMATION ON	INGREDIENTS	之 。如此是自己的自己的自己的自己的自己的自己的自己的自己的自己的自己的自己的自己的自己的自	
2.1	Hazardous				
		2.1.2 Name of the	2.1.3	2.1.4 Warning symbol, R phrases an	
other co		ingredient Nitrocellulose	Concentration 90-99 %	other data on the ingredient E; R3;R1	
603-037- 122-39-4		Diphenylamine	max. 2.0 %	T; R23/24/25; R33;N; R50-53 EY-nro: 204-539-4 HTP 8 h= 5 mg/m ³ (skin), HTP 15min= 10 mg/m ³ (skin), LD50=300 mg/kg (oral gpg)	
85-98-3		Diethyldiphenylurea	max. 6.0 %	Xn; R22-52/53,	
		(centralite I)		LD50=420 mg/kg (oral rat)	
2.1.5 2.1.6	according t	peen a request for confidentia to Annex 3 of the decree e not dangerous has been in		_	

2.1.7

Other information

Date: 17.11.2008 Former date: 26.4.2007

3. HAZARDS IDENTIFICATION

Risk of explosion by shock, friction, fire or other sources of ignition. Harmful if swallowed. Danger of cumulative effects. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

4.1 Special instructions

Move patients to fresh air.

4.2 Inhalation

Heating can release hazardous gases, nitrogen oxides (NOx). In case of fire and/or explosion do not breathe fumes. Remove from exposure, lie down. Oxygen or artificial respiration if needed. Seek medical advice.

4.3 Skin contact

Avoid skin contact. Wash off immediately with soap and plenty of water.

4.4 Eye contact

Rinse thoroughly with plenty of water, also under the eyelids.

4.5 Ingestion

Induce repeated vomiting. (only if the victim is conscious)

4.6 Information to doctor or other trained persons giving first aid

Exposuring to nitrogen oxides (NO_x) may cause symptoms of poisoning after several hours. Keep under medical supervision for at least 48 hours.

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Recommended extinguihhing media, water. Also other endothermic extinguishing media are possible.

5.2 Extinguishing media which must not be used for safety reasons

5.3 Special exposure hazards in a fire

In case of fire and/or explosion do not breathe fumes which may contains nitrogen oxides (NOx). Evacuate personnel to safe areas.

5.4 Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit.

5.5 Other instructions

Can only be extinguished by effective cooling. Burns without auxiliary oxygen. Very fast, deflagration like burning, may turn to explosion. At risk of fire people shall evacuated to a safe distance.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions

In case some of the powder has run out of the package :Remove all sources of ignition Use non-sparky equipment, seek professional advice.

6.2 Environmental precautions

Risk of explosion.

6.3 Methods for cleaning up

In case some of the powder has run out of the package ,use non-sparky equipment, seek professional advice.

6.4 Other instructions

7. HANDLING AND STORAGE

7.1 Handling

Keep out of children. Keep away from heat and sources of ignition. Handle and open containers with care. Do not smoke. Take precautionary measures against static discharges. Ensure adequate ventilation. Wear suitable protective clothing and gloves. Avoid exposuring to the product and read the instructions before use.

7.2 Storage

Store in original containers. Keep in a dry, cool place. Incompatible with acids and bases.

7.3 Specific use(s)

Date: 17.11.2008 **Former date:** 26.4.2007

8.	EXPOSURE CONTROLS/PERSONAL PROTECTION			
8.1	Exposure limit values			
8.1.1	HTP values			
8.1.2	Organic dust: 5 mg/m³ (8h), 10 mg/m³ (15min) Other limit values			
8.1.3	Limit values in other countries			
8.2	Exposure controls			
8.2.1	Occupational exposure controls			
8.2.1.1	Ensure adequate ventilation. Wear personal protective equipment in risk of inhalation of dust or continious skin contact. Respiratory protection Wear half mask with a particle filter P2 (European Norm EN 143 = former DIN 3181) in risk of dust.			
8.2.1.2	Hand protection			
	Wear suitable protective gloves in risk of direct skin contact.			
8.2.1.3	Eye protection Wear protective glasses.			
8.2.1.4	Skin protection			
	Protective clothing, recommended antistatic and non-flammable material.			
8.2.2	Environmental exposure controls			
0	DINVOICE AND OUTSMICE DEODEDTIES			
9.	PHYSICAL AND CHEMICAL PROPERTIES			
9.1	General information (physical state, colour and odour) Solid flakes or granular, characteristic odour. Colour/Graphitized: dark grey.			
	Colour/Not grafitized: whitish, yellowish or dark.			
9.2	Important health, safety and environmental information			
9.2				
manufacture and the same	Important health, safety and environmental information			
9.2.1	Important health, safety and environmental information pH Boiling point/boiling range Flash point			
9.2.1 9.2.2 9.2.3	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C			
9.2.1 9.2.2	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C Flammability (solid, gas)			
9.2.1 9.2.2 9.2.3 9.2.4	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C Flammability (solid, gas) Extreme risk of ignition by shock, friction, fire or other sources of ignition.			
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C Flammability (solid, gas) Extreme risk of ignition by shock, friction, fire or other sources of ignition. Explosive properties			
9.2.1 9.2.2 9.2.3 9.2.4	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C Flammability (solid, gas) Extreme risk of ignition by shock, friction, fire or other sources of ignition.			
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C Flammability (solid, gas) Extreme risk of ignition by shock, friction, fire or other sources of ignition. Explosive properties			
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 9.2.5.1	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C Flammability (solid, gas) Extreme risk of ignition by shock, friction, fire or other sources of ignition. Explosive properties Lower explosive limit			
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 9.2.5.1 9.2.5.2	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C Flammability (solid, gas) Extreme risk of ignition by shock, friction, fire or other sources of ignition. Explosive properties Lower explosive limit Upper explosive limit			
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 9.2.5.1 9.2.5.2 9.2.6	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C Flammability (solid, gas) Extreme risk of ignition by shock, friction, fire or other sources of ignition. Explosive properties Lower explosive limit Upper explosive limit Oxidising properties Vapour pressure Relative density			
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 9.2.5.1 9.2.5.2 9.2.6 9.2.7 9.2.8	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C Flammability (solid, gas)			
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 9.2.5.1 9.2.5.2 9.2.6 9.2.7 9.2.8	Important health, safety and environmental information pH Boiling point/boiling range Flash point			
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 9.2.5.1 9.2.5.2 9.2.6 9.2.7 9.2.8 9.2.9	Important health, safety and environmental information pH Boiling point/boiling range Flash point			
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 9.2.5.1 9.2.5.2 9.2.6 9.2.7 9.2.8	Important health, safety and environmental information pH Boiling point/boiling range Flash point			
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 9.2.5.1 9.2.5.2 9.2.6 9.2.7 9.2.8 9.2.9	Important health, safety and environmental information pH Boiling point/boiling range Flash point min 165°C Flammability (solid, gas) Extreme risk of ignition by shock, friction, fire or other sources of ignition. Explosive properties Lower explosive limit Upper explosive limit Oxidising properties Vapour pressure Relative density 1,1-1,6 g/cm³ Solubility Water solubility Insoluble Fat solubility (solvent-oil to be specified)			

Date: 17.11.2008 Former date: 26.4.2007

9.2.12 Vapour density

9.2.13 Evaporation rate

9.3 Other information

Explosive

10. STABILITY AND REACTIVITY

10.1 Conditions to avoid

Stable at normal conditions. Long -time heat exposure decreases stability.

10.2 Materials to avoid

Incompatible with acids and bases. Degradation can cause explosion.

10.3 Hazardous decomposition products

Nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

11.1 Acute toxicity

No data available.

11.2 Irritation and corrosiveness

May cause skin and eye irritation.

11.3 Sensitisation

No data available.

11.4 Sub-acute, sub-chronic and prolonged toxicity

No data available.

11.5 Empirical data on effects on humans

May cause skin irritation.

May cause irritation of the mucous membranes.

11.6 Other information on health effects

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

12.1.1 Aquatic toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.1.2 Toxicity to other organisms

No data available.

12.2 Mobility

12.3 Persistence and degradability

12.3.1 Biodegradation

No data available.

12.3.2 Chemical degradation

Incompatible with acids and bases:may cause degradation. Long –time heat exposure decreases stability.

12.4 Bioaccumulative potential

12.5 Other adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal of unused products, waste and contaminated packages must be done in accordance with local and national regulations.

14. TRANSPORT INFORMATION

14.1 UN number

0161

14.2 Packing group

Page 4

Date: 17.11.2008 Former date: 26.4.2007

14.3	Land transport			
14.3.1	Transport class			
	ADR 1.3C Packing instructions: P114 (b), special packing provisions PP50 andPP52			
14.3.2	Packing instructions: P114 (b), special packing provisions PP50 andPP52 Risk code			
14.3.2	KISK Code			
14.3.3	Name according to bill of freight			
141010	Powder, smokeless			
14.3.4	Other information			
	-			
14.4	Sea transport			
14.4.1	IMDG class			
	1.3C			
	Packing instructions: P 114(b), special packing provisions PP50 and PP52			
14.4.2	Correct technical name			
44.40	Powder, smokeless			
14.4.3	Other information Ems; F-B,S-Y			
14.5	Air transport			
14.5.1	ICAO/IATA class			
14.5.1	FORBIDDEN			
14.5.2	Correct technical name			
	•			
14.5.3	Other information			
	-			
15.	REGULATORY INFORMATION			
15.1	Information on the warning label			
15.1.1	Letter code of the warning symbol and indications of danger for the preparation			
	E – Explosive Xn – Harmful			
45.4.0	No. 1997 Cale Control of the Control			
15.1.2	Names of the ingredients given on the warning label Nitrocellulose, Diphenylamine, Diethyldiphenylurea			
	Mitrocendiose, Diprienylamine, Dietriyldiprienyldrea			
15.1.3	R phrases			
101110	R2 Risk of explosion by shock, friction, fire or other sources of ignition.			
	R22 Harmful if swallowed.			
	R33 Danger of cumulative effects.			
	R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the			
	aquatic environment.			
15.1.4	S phrases			
	S1/2 Keep locked-up and out of reach of children. S35 This material and its container must be disposed of in a safe way.			
4E 4 E	Special regulations on certain preparations			
15.1.5	opecial regulations on certain preparations			
15.2	National regulations			
15.2	Nauvilai regulativiis			
	•			

16. OTHER INFORMATION

16.1 List of the relevant R phrases

R1 Explosive when dry.

R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.

R22 Harmful if swallowed.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R33 Danger of cumulative effects.

R50 Very toxic to aquatic organisms.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R53 May cause long-term adverse effects in the aquatic environment.

Date: 17.11.2008 Former date: 26.4.2007

16.2 Training advice

16.3 Restrictions on use

16.4 Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification, since the conditions of the operations mentioned are beyond our control. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text. EURENCO Vihtavuori Oy disclaims any liability for loss or damage resulting from the use of these data, information or suggestions.

16.5 Sources of key data used

16.6 Information which has been added, deleted or revised

1.1. B7T- and B19T-propellants added

2.1.3. Nitrocellulose concentration 80-98 % revised -> 90-99%